



# Submittal Form



## Cold Rolled Channel

### Product Benefits

Phillips Cold Rolled Channels (a.k.a. U-Channels) are superior channels used for furring walls, ceilings and laterally bracing studs. Phillips Cold Rolled Channels feature many benefits:

- Also utilized for suspended ceiling and partition construction
- Used as a stiffener for furring walls in metal framing
- Tightly formed corners and consistent equal height legs to facilitate ease of installation
- Manufactured from 16 gauge steel with .0538" minimum base material thickness
- 3/4" and 1-1/2" available

### Certification

Phillips Cold Rolled Channels meet or exceed the following ASTM standards:

- ASTM C 645 Standard Specification for Nonstructural Steel Framing Members
- ASTM C 955 Standard Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases

### Storage

Avoid bending or other damage and store in a dry place protected from moisture.

### Installation Recommendations

Phillips recommends installation in accordance with applicable ASTM standards and using prevalent industry standards. For allowable ceiling span, please see SSMA Product Technical Information catalog. Additional reference materials include ASTM C 754, Gypsum Association GA-216, Gypsum Association GA-600, SSMA and Phillips Manufacturing's website ([www.phillipsmfg.com](http://www.phillipsmfg.com)).



### Submittal Approvals:

**Job Name:** \_\_\_\_\_

**Contractor:** \_\_\_\_\_ **Date:** \_\_\_\_\_

The information and recommendations contained herein are, to the best of Phillips Manufacturing Company's knowledge and belief, accurate and reliable as of the date issued. Phillips Manufacturing Company has no control over the conditions of handling and use, and makes no warranty regarding the results obtained from the use of this data. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to determine that they are suitable and complete for its particular use. Phillips reserves the right to make alterations and amendments to the detailed specifications at its discretion. Phillips disclaims responsibility for all actions, proceedings, liabilities, claims, damages, cost, losses, and expenses in relation to, or arising out of, incorrect utilization of this information.

