


## kwikSTIK® Paper-Faced Tape-On Metal Bullnose Corner Bead 1/2" Bullnose (PMB)


kwikSTIK® Paper-Faced Tape-On Metal 1/2" Bullnose Corner Beads are used on 90° outside corners with any standard drywall thickness for smooth, rounded corners. The rigid steel-reinforced corner is covered with a unique, high strength paper providing maximum strength and protection while preventing cracking caused by the movement or shrinkage of framing members. This product utilizes thicker steel that meet ASTM standard C1047. Install by pressing firmly into joint compound and removing excess compound with a drywall knife or clean rag.



### Product Data and Ordering Information

Material: 0.014 min thickness, minimum G40 galvanized  
Dimensions: 1/2"  
Part Number: PMB14EGBNC

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8"	50	56	400
9'	50	56	450
10'	50	56	500



*Drawing not to scale*

All Phillips products are made in the U.S.A.

### ASTM and Code Standards

All Phillips kwikSTIK® Paper-Faced Metal Bullnose Corner Beads meets or exceeds the following ASTM standards:

- ASTM C1047 Standard Specification for Accessories for Gypsum Wallboard\*
- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process

SDS and other technical information available at [www.phillipsmfg.com](http://www.phillipsmfg.com).

### Patents

U.S. Patents 6,295,776; 6,539,680; 6,722,092 and 7,013,610

### Leed Credits for Recycled Content

MR2 – The steel and vinyl used in Phillips Manufacturing products is 100% recyclable.

MR4 – Phillips Manufacturing steel and vinyl products have a minimum of:

Total recycled content:	30%
Post-consumer recycled content:	25%
Pre-consumer recycled content:	5%

### Storage

Avoid bending or other damage and store in a dry place protected from moisture.

### Leed v4 for building and Design Construction

- MR Prerequisite: Construction and Demolition Waste Management Planning.
- MR Credit: Construction and Demolition Waste Management.
- MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials, Option2.
- MR Credit: Building Product Disclosure and Optimization Environmental Product Declaration, Options 1 & 2.
- MR Credit: Building Product Disclosure and Optimization Material Ingredients, Option 1.
- MR Credit: Building Life-Cycle Impact Reduction, Option 4